

Distributed Opportunistic Scheduling for Ad Hoc Networks With Random Access: An Optimal Stopping Approach

Dong Zheng, Weiyan Ge, and Junshan Zhang

Abstract—In this paper, we study distributed opportunistic scheduling (DOS) in an ad hoc network, where many links contend for the same channel using random access. In such a network, DOS involves a process of joint channel probing and distributed scheduling. Due to channel fading, the link condition corresponding to a successful channel probing could be either good or poor. In the latter case, further channel probing, although at the cost of additional delay, may lead to better channel conditions and hence yield higher throughput. The desired tradeoff boils down to judiciously choosing the optimal stopping rule for channel probing and distributed scheduling. In this paper, we pursue a rigorous characterization of the optimal strategies from two perspectives, namely, a network-centric perspective and a user-centric perspective. We first consider DOS from a network-centric point of view, where links cooperate to maximize the overall network throughput. Using optimal stopping theory, we show that the optimal scheme for DOS turns out to be a *pure threshold policy*, where the rate threshold can be obtained by solving a fixed-point equation. We further devise iterative algorithms for computing the threshold. We also generalize the studies to take into account fairness requirements. Next, we explore DOS from a user-centric perspective, where each link seeks to maximize its own throughput. We treat the problem of threshold selection across different links as a noncooperative game. We explore the existence and uniqueness of the Nash equilibrium, and show that the Nash equilibrium can be approached by the best response strategy. Since the best response strategy requires message passing from neighboring nodes, we then develop an online stochastic iterative algorithm based on local observations only, and establish its convergence to the Nash equilibrium. Because there is an efficiency loss at the Nash equilibrium, we then study pricing-based mechanisms to mitigate the loss. Our results reveal that rich physical layer/MAC layer (PHY/MAC) diversities are available for exploitation in ad hoc networks. We believe that these initial steps open a new avenue for channel-aware distributed scheduling.

Index Terms—Ad hoc networks, distributed opportunistic scheduling (DOS), game theory, optimal stopping, threshold policy.

I. INTRODUCTION

A. Motivation

WIRELESS ad hoc networks have emerged as a promising solution that can facilitate communications between wireless devices without a planned fixed infrastructure. Different from its wireline counterpart, the design of wireless ad hoc networks faces a number of unique challenges in wireless communications, including: 1) cochannel interference among active links in a neighborhood; and 2) time-varying channel conditions over fading channels. The traditional wisdom for wireless network design is to separate link losses caused by fading from those by interference. That is, the PHY layer addresses the issues of fading, and the MAC layer addresses the issue of contention. However, as shown in [1] and [2], fading can often adversely affect the MAC layer in many realistic scenarios. The coupling between the time scales of fading and MAC calls for a unified PHY/MAC design for wireless ad hoc networks, in order to achieve optimal throughput and latency.

Notably, there has recently been a surge of interest in channel-aware scheduling and channel-aware access control. Channel-aware opportunistic scheduling was first developed for the downlink transmissions in multiuser wireless networks (see, e.g., [3] and [4]). Opportunistic scheduling originates from a holistic view: roughly speaking, in a multiuser wireless network, at each moment, it is likely that there exists a user with good channel conditions; and by picking the instantaneous “on-peak” user for data transmission, opportunistic scheduling can utilize the wireless resource more efficiently. *A key assumption in these studies is that the scheduler has knowledge of the instantaneous channel conditions for all links, and therefore, the scheduling is centralized.*

Channel-aware random access has been investigated for the uplink transmissions in a many-to-one network, where channel probing can be realized by broadcasting pilot signals from the base station. Notably, [5] and [6] study opportunistic ALOHA under a collision model, with a basic idea being that in every slot each user transmits with a probability based on its own channel condition. While recent work [7] does not assume a base station in a wireless local area network (LAN), the transmitter node still

Manuscript received August 24, 2007; revised September 09, 2008. The material in this paper was presented in part at MobiHoc, Montréal, QC, Canada, September 2007. This work was supported in part by the U.S. Office of Naval Research under Grant N00014-05-1-0636 and by the National Science Foundation under Grants ANI-0238550 and CNS-0721820.

D. Zheng is with the NextWireless, Inc., San Diego, CA 92130 USA.

W. Ge is with Qualcomm, Inc., San Diego, CA 92121 USA.

J. Zhang is with the Department of Electrical Engineering, Arizona State University, Tempe, AZ 85287 USA (e-mail: junshan.zhang@asu.edu).

Color versions of Figures 4–7 and 9 in this paper are available online at <http://ieeexplore.ieee.org>.

Communicated by P. Viswanath, Associate Editor for Communications.

Digital Object Identifier 10.1109/TIT.2008.2008137

needs to collect channel information from potential receivers, thereby serving as a tentative “virtual” base station. A key observation is that in the existing work on rate adaptation for ad hoc communications (see, e.g., [8]–[10]), a link continues transmission after a successful channel contention, no matter whether the channel condition is good or poor. Clearly, this leaves much room for improvement by devising channel-aware scheduling.

Unfortunately, little work has been done on developing channel-aware distributed scheduling to reap rich diversity gains for enhancing ad hoc communications. This is perhaps due to the fact that channel-aware distributed scheduling is indeed challenging, since *the distributed nature of ad hoc communications dictates that each link has no knowledge of others’ channel conditions* (in fact, even its own channel condition is unknown before channel probing). A principal goal of this study is to fill this void, and obtain a rigorous understanding of distributed opportunistic scheduling (DOS) for ad hoc communications.

In this paper, we take some initial steps in this direction and consider a single-hop ad hoc network where all links can hear others’ transmissions. In such a network, links contend for the same channel using random access, and a collision model is assumed which indicates that at most one link can transmit successfully at each time. We assume that after a successful contention, the channel condition of the successful link is measured (e.g., by using some pilot signals embedded in the probing packets). Due to channel fading, the link condition corresponding to this successful channel probing can be either good or poor. In the latter case, data packets have to be transmitted at low rates, leading to possible throughput degradation. A plausible alternative is to let this link give up this transmission opportunity, and allow all the links recontend for the channel, in the hope that some link with a better channel condition can transmit after the recontention. Intuitively speaking, because different links at different time slots experience different channel conditions, it is likely that after further probing, the channel can be taken by a link with a better channel condition, resulting in possible higher throughput. In this way, the multiuser diversity across links and the time diversity across slots can be exploited in a joint opportunistic manner. It is in this sense that we call this process of joint probing and scheduling “DOS.” We should caution that on the other hand, each channel probing comes with a cost in terms of the contention time, which could be used for data transmission.

Clearly, there is a *tradeoff* between the throughput gain from better channel conditions and the cost for further channel probing. The desired tradeoff boils down to judiciously choosing the optimal stopping rule for channel probing, in order to maximize the throughput. In this paper, we obtain a systematic characterization of this tradeoff by appealing to optimal stopping theory [11], [12], and explore channel-aware distributed scheduling to exploit multiuser diversity and time diversity for wireless ad hoc networks in an opportunistic manner. We will tackle this problem from the following two perspectives: 1) a network-centric perspective in which all links “cooperate” to maximize the overall network throughput; and 2) a user-centric view where each link seeks to maximize its own throughput selfishly.

B. Summary of Main Results

The common theme of the first thrust is DOS from a network-centric perspective. We start with the basic case where all links have the same channel statistics. Recall that when a link discovers that its channel condition is relatively poor after a successful channel contention, it can skip the transmission opportunity so that some link with a better condition would have the chance to transmit in the next round channel probing. We should point out that there is no guarantee for this to happen due to the stochastic nature of random contention and time-varying channel conditions. Nevertheless, as channel probing continues, the likelihood of reaching a better channel condition increases. In a nutshell, DOS boils down to a process of joint channel probing and scheduling.

Mathematically speaking, we treat DOS as a team game. Building on optimal stopping theory [11], [12], we cast the problem as a *maximal rate of return* problem, where the rate of return refers to the average throughput. As noted above, since the cost, in terms of the contention duration, is random, we use the maximal inequality to establish the existence of the optimal stopping rule. Then, we develop the optimal strategy for DOS, by characterizing the optimal stopping rule to control the channel probing process and hence to maximize the overall throughput. In particular, we show that the optimal strategy is a *pure threshold policy*,¹ in the sense that the decision on further channel probing or data transmission is based on the local channel condition only, and the threshold is invariant in time. Therefore, it is amenable to easy distributed implementation. Furthermore, it turns out that the optimal threshold can be chosen to be the maximum network throughput, which can be obtained by solving a fixed point equation. We then generalize the above study to the case with heterogeneous links, where different links may have different channel statistics. Due to the channel heterogeneity, the channel conditions corresponding to consecutive successful channel probings may follow different distributions. Again, we show that the optimal strategy for joint channel probing and distributed scheduling is a pure threshold policy. Somewhat surprisingly, the optimal thresholds turn out to be the same across all the links regardless of the channel statistics and contention probabilities. We further devise an iterative algorithm to compute the optimal threshold. We note that the proof for the convergence of the iterative algorithm is nontrivial, and the standard techniques (e.g., contraction mapping [13]) are not applicable here. Instead, we use a novel approach exploiting the properties of the iterates to establish the convergence. We also generalize the studies to take into account fairness requirements.

In the second thrust, we focus on DOS from a user-centric perspective, where each link seeks to maximize its own throughput in a selfish manner. We treat the rate threshold selection problem across different links as a noncooperative game. Needless to say, game theory is a powerful tool to describe complex interactions among players, and predict their choices of strategies. In a noncooperative game, each player seeks to maximize some utility function (payoff function) in a distributed manner by choosing its strategy from a strategy

¹A threshold policy is called pure if the threshold is invariant in time.

set. The game settles at an equilibrium point if one exists. Due to the selfish nature of the players, the equilibrium is not necessarily the optimal point that maximizes the social utility.

More specifically, we first characterize each link's individual throughput as its payoff function. We establish the existence of the Nash equilibrium for the noncooperative game, and show the uniqueness of the Nash equilibrium under some sufficient conditions. Based on the best response strategy, we devise a distributed iterative algorithm, and establish its convergence to the Nash equilibrium for any nonnegative initial threshold values. It is worth noting that the convergence proof for this distributed iterative algorithm is nontrivial, and the standard approaches (e.g., using contraction mapping [13] or standard interference functions in [14]) are not applicable here. Indeed, the proof is constructive and involves an interesting sandwich argument. Observing that the best response strategy requires message passing from neighboring nodes, we then develop an online stochastic iterative algorithm based on local observations only. In light of the asynchronous feature of the online algorithm, we appeal to recent results on asynchronous stochastic approximation algorithms [15] and establish its convergence under some regularity conditions. Finally, since the equilibrium point does not maximize the social utility, we examine the efficiency loss in terms of the throughput in the noncooperative game, compared to the network-centric case, and explore pricing-based mechanisms to mitigate the loss.

In summary, the study in this paper on DOS, for both the network-centric case and the user-centric case, reveals that rich PHY/MAC diversities are available for exploitation in ad hoc communications. We believe that these initial steps open a new avenue for channel-aware distributed scheduling, and are useful for enhancing MAC protocol design for wireless LANs and wireless mesh networks.

C. Related Work and Organization

As noted above, there has been much work on centralized opportunistic scheduling (e.g., [3], [4], and [16]–[21]), channel-aware ALOHA (e.g., [5] and [6]) and MAC design with rate adaptation (e.g., [8]–[10]). Most relevant to our study are perhaps e.g., [5], [6], [8], and [10]. The main differences between this study and the studies [5] and [6] lie in the following two aspects: 1) we consider ad hoc communications assuming no centralized coordination, and the transmission scheduling is done distributively; and 2) the transmitter nodes have no knowledge of other links' channel conditions, and even their own channel conditions are not available before contention. These limitations, dictated by the distributed nature of ad hoc communications, pose great challenges for exploiting channel diversity in distributed scheduling. A major difference between our study and the studies in [8] and [10] is that our scheme allows links to opportunistically utilize the channel whereas in the schemes in [8] and [10] the transmission rate is adapted based on the current channel condition, regardless of whether the channel condition is poor or good. The delay-throughput tradeoff in wireless networks has been studied in [21], and a centralized dynamical control algorithm has been developed to achieve the optimal tradeoff.

Along a different avenue, opportunistic channel probing for single-user multichannel systems has been studied in [22] and [23], where the basic idea is to opportunistically probe and select a transmission channel among multiple channels between the transmitter node and the receiver node. In contrast, in this study, we consider multiple links (each with its own transmitter and receiver) sharing one single channel and explore distributed scheduling, assuming that each link has no knowledge of other links' channel conditions.

There has also been a surge of interest in using game theory to study wireless networks (see, e.g., [24]–[27]). We note that a game theoretic formulation on random access protocols has been investigated in [28]–[30], with one major difference being that none of these works exploit time-varying channel conditions for scheduling.

The rest of this paper is organized as follows. Section II gives a brief introduction on optimal stopping theory and presents the model for random-access-based channel probing and scheduling. In Sections III and IV, we investigate in depth the problem of joint channel probing and scheduling from the network-centric perspective and the user-centric perspective, respectively. Section V investigates the efficiency loss of the noncooperative game, compared to that of the team game, and proposes a pricing mechanism to mitigate the price of anarchy. In Section VI, we provide numerical examples to corroborate the theoretic results. Finally, Section VII concludes this paper.

II. BACKGROUND AND SYSTEM MODEL

A. A Preliminary on Optimal Stopping Theory

As noted above, in an ad hoc network with many links, when a link discovers that its channel condition is "relatively poor" after a successful channel contention, it can either transmit or skip this opportunity so that in the next round some link with a better condition would have the chance to transmit. This is intimately related to the optimal stopping strategy in sequential analysis [12].

Simply put, an optimal stopping rule is a strategy for deciding when to take a given action based on the past events in order to maximize the average return, where the return is the net gain (the difference between the reward and the cost) [11], [12]. More specifically, let $\{Z_1, Z_2, \dots\}$ denote a sequence of random variables, and $\{y_0, y_1(z_1), y_2(z_1, z_2), \dots, y_\infty(z_1, z_2, \dots)\}$ a sequence of real-valued reward functions. The reward is $y_n(z_1, \dots, z_n)$ if the strategy chooses to stop at time n . The theory of optimal stopping is concerned with determining the stopping time N to maximize the expected reward $E[Y_N]$; and in general, N is called a *stopping time* if $\{N = n\} \in \mathcal{F}_n$, where \mathcal{F}_n is the σ -algebra generated by $\{Z_j, j \leq n\}$.

B. System Model

Random access is widely used for medium access control in wireless ad hoc networks. Consider a single-hop ad hoc network with M links (see Fig. 1), where link m contends for the channel with probability p_m , $m = 1, \dots, M$. A collision model is assumed for the random access, where a channel contention of a link is said to be successful if no other links transmit at the same time. We assume that the local channel condition can be




Fig. 1. Example of a single-hop ad hoc network.




Fig. 2. Sample realization of channel probing and data transmission.

obtained after a successful channel contention. Accordingly, the overall successful channel probing probability in each slot p_s is then given by $\sum_{m=1}^M (p_m \prod_{i \neq m} (1 - p_i))$ [6]. (To avoid triviality, we assume that $p_s > 0$.)

For convenience, we call the random duration of achieving a successful channel contention as one round of channel probing. It is clear that the number of slots (denoted by K) for a successful channel contention (probing) is a Geometric random variable, i.e., $K \sim \text{Geometric}(p_s)$. Let τ denote the duration of mini slot for channel contention. It follows that the random duration corresponding to one round of channel probing is $K\tau$, with expectation τ/p_s .

Let $s(n)$ denote the successful link in the n th round of channel probing, and $R_{n,s(n)}$ denote the corresponding transmission rate. In wireless communications, $R_{n,s(n)}$ depends on the time-varying channel condition, and hence is random. Following the standard assumption on the block-fading channel in wireless communications [8], [10], we assume that $R_{n,s(n)}$ remains constant for a duration of T , where T is the data transmission duration and is no greater than the channel coherence time.

To get a more concrete sense of joint channel probing and distributed scheduling, we depict in Fig. 2 an example with N rounds of channel probing and one single data transmission. Specifically, suppose after the first round of channel probing with a duration of $K_1\tau$, the rate of link $s(1)$, $R_{1,s(1)}$, is small (indicating a poor channel condition); and as a result, $s(1)$ gives up this transmission opportunity and lets all the links recontend. Then, after the second round of channel probing with a duration of $K_2\tau$, link $s(2)$ also gives up the transmission because $R_{2,s(2)}$ is small. This continues for N rounds until link $s(N)$ transmits because $R_{N,s(N)}$ is good.

In this study, we provide a systematic treatment of DOS by using optimal stopping theory. We first impose the following

assumption on the transmission rates across different rounds of channel probing.

A1) $\{R_{n,s(n)}, n = 1, 2, \dots\}$ are independent.

We note that the above condition holds well in many practical scenarios of interest, and the rationale behind this is as follows: The time duration of one mini slot, denoted by τ , is smaller than T [similar to carrier sensing multiple access (CSMA)]. In a network with many links, due to collision, it takes multiple mini slots to achieve a successful contention. Furthermore, for one particular user (out of M users), it takes many more mini slots to achieve one successful contention.

To get a more concrete sense, we next quantify the channel correlation corresponding to the two instants at two adjacent successful channel contentions. To this end, let $q_s(k)$ be the probability that two adjacent successful contentions, separated by k mini slots, are occupied by the same user, where $k = 0, 1, \dots$. It can be shown that

$$\begin{aligned} q_s(k) &\triangleq \Pr(s(n+1) = s(n), k \text{ mini slots in between}) \\ &= \sum_{m=1}^M \frac{p_{s,m}}{p_s} (1 - p_s)^k p_{s,m} \\ &= \frac{(1 - p_s)^k}{p_s} \sum_{m=1}^M p_{s,m}^2. \end{aligned} \quad (1)$$

Let π denote the channel correlation between two adjacent mini slots. Then, the probability that the channel correlation of two adjacent successful contentions is smaller than some threshold ϵ is given by

$$1 - \sum_{k=0}^{k^*} \sum_{m=1}^M \frac{(1 - p_s)^k}{p_s} p_{s,m}^2$$

where $k^* \triangleq \arg \max_k \{\pi^k \geq \epsilon\}$, and $p_{s,m}$ is the successful contention probability of user m and is on the order of $\frac{1}{eM}$. For example, when $p_m = 1/M$, $M = 10$, $\pi = 0.9$, the probability the correlation is no greater than 0.1 is 0.903.

In a nutshell, assumption A1 is applicable to many practical scenarios of interest.

III. DISTRIBUTED OPPORTUNISTIC SCHEDULING: A TEAM GAME VIEW

In this section, we treat DOS, namely, joint channel probing and distributed scheduling, as a team game in which all links collaborate to maximize the overall network throughput. In particular, building on optimal stopping theory, we cast the problem as *maximizing the rate of return*, where the rate of return refers to the average throughput [12]. For convenience, let $R_{(n)}$ denote the rate corresponding to the n th round successful channel probing, i.e., $R_{(n)} = R_{n,s(n)}$. Without loss of generality, we assume that the second moment of $R_{(n)}$ exists.

As illustrated in Fig. 2, after one round of channel probing, a stopping rule N decides whether the successful link carries out data transmission, or simply skips this opportunity and lets all the links recontend. Suppose that this game on joint channel probing and transmission is carried out L times, and let $\{N_1, \dots, N_L\}$ denote the corresponding stopping times,

T_{N_l} the l th realization of the duration for probing and data transmission. Then, appealing to the renewal theorem, we have that

$$x_L = \frac{\sum_{l=1}^L R_{(N_l)} T}{\sum_{l=1}^L T_{N_l}} \xrightarrow{\text{a.s.}} \frac{E[R_{(N)} T]}{E[T_N]} \quad (2)$$

where $E[R_{(N)} T]/E[T_N]$ is the rate of return [12]. Clearly, $R_{(N)}$ and T_N are stopped random variables since N is a stopping time. Accordingly, the distributions of $R_{(N)}$ and T_N depend on that of the stopping time N . Define

$$Q \triangleq \{N : N \geq 1, E[T_N] < \infty\}. \quad (3)$$

It then follows that the problem of maximizing the long-term average throughput can be cast as a maximal-rate-of-return problem, in which a key step is to characterize the optimal stopping rule N^* and the optimal throughput x^* , as

$$N^* \triangleq \arg \max_{N \in Q} \frac{E[R_{(N)} T]}{E[T_N]} \quad x^* \triangleq \sup_{N \in Q} \frac{E[R_{(N)} T]}{E[T_N]}. \quad (4)$$

A. Optimal Stopping Rule for DOS

We now exploit optimal stopping theory [11], [12] to solve the problem in (4).

1) *The Case With Homogeneous Links:* For ease of exposition, we first consider a network with homogenous links where all links have the same channel statistics with the same distribution $F_R(r)$. By A1), $\{R_{(n)}, n = 1, 2, \dots\}$ is a sequence of independent identically distributed (i.i.d.) random variables with distribution $F_R(r)$.

Observe that different from standard optimal stopping problems, the cost in terms of the probing duration is random due to the stochastic nature of channel probing. In light of this, we use the maximal inequality to establish the existence of the optimal stopping rule. We have the following proposition.

Proposition 3.1:

a) The optimal stopping rule N^* for DOS exists, and is given by

$$N^* = \min\{n \geq 1 : R_{(n)} \geq x^*\}. \quad (5)$$

b) The maximum throughput x^* is an optimal threshold, and is the unique solution to

$$E(R_{(n)} - x)^+ = \frac{x\tau}{p_s T}. \quad (6)$$

The proof can be found in Appendix I.

Remarks:

1) Proposition 3.1 reveals that the optimal stopping rule N^* for DOS is a pure threshold policy, and the stopping decision can be made based on the current rate only. Accordingly, the optimal channel probing and scheduling strategy takes the following simple form: If the successful link discovers that the current rate $R_{(n)}$ is higher than the threshold x^* , it transmits the data with rate $R_{(n)}$; otherwise, it skips this transmission opportunity, and then the links recontend.

2) We note that the maximum throughput x^* is unique, but the optimal threshold in (5) may not be unique in general. It is not difficult to show the uniqueness of the optimal threshold in the continuous rate case with $f(r) > 0, \forall r > 0$. In contrast, in the discrete rate case, changing the threshold in between two adjacent quantization levels would not affect its optimality since the new threshold policy achieves the same throughput. (In what follows, for the discrete rate case, we treat the thresholds in between two adjacent quantization levels “effectively” the same.)

3) It can be shown that

$$E[T_N] = \frac{\tau}{p_s} E[N] + T. \quad (7)$$

Based on (7) and the proof of Theorem 3.1, it can also be shown that if the random contention time $K\tau$ is replaced with a constant probing time τ/p_s , the optimal stopping rule (5) and the optimal throughput remain the same.

Based on the structure of the optimal stopping rule N^* in (5), we have the following corollary.

Corollary 3.1:

a) The stopping time N^* is geometrically distributed with parameter $1 - F_R(x^*)$.

b) The stopped random variable R_{N^*} has the following distribution:

$$F_{R_{N^*}}(r) = \begin{cases} \frac{F_R(r) - F_R(x^*)}{1 - F_R(x^*)}, & r \geq x^* \\ 0, & \text{otherwise.} \end{cases}$$

c) The stopped random variable $\frac{T_{N^*} - T}{\tau}$ is geometrically distributed with parameter $p_s[1 - F_R(x^*)]$.

Part a) of Corollary 3.1 indicates that the channel probing process would stop in a finite time almost surely. It follows from part b) and c) of Corollary 3.1 that

$$\frac{E[R_{N^*} T]}{E[T_{N^*}]} = \frac{\int_{x^*}^{\infty} r dF_R(r)}{\frac{\delta}{p_s} + 1 - F_R(x^*)} \quad (8)$$

where $\delta = \tau/T$.

We note that the maximum throughput x^* is obtained by solving the fixed point (6), which in general does not admit a closed-form solution. In what follows, we derive a lower bound and an upper bound on x^* . We have the following proposition.

Proposition 3.2:

$$x^L \leq x^* \leq x^U$$

where x^L and x^U are given by

$$x^L \triangleq \frac{E[R]}{\frac{\delta}{p_s} + 1} \quad x^U \triangleq \sqrt{\frac{E[R^2]}{2\frac{\delta}{p_s}}}. \quad (9)$$

The proof is relegated to Appendix II.

Remarks:

1) Observe that x^L is the throughput of the opportunistic aucterate (OAR) scheme in [10], which can be viewed as a degenerated stopping algorithm with threshold zero.

2) Note that $\sqrt{\frac{E[R^2]}{2p_s}}$ is the maximum throughput corresponding to the optimal genie-aided scheduling when all channel realizations are known *a priori*. Indeed, this can be seen from the proof of Proposition 3.2.

2) *The Case With Heterogeneous Links*: In the above, it is assumed that all links have the same channel statistics. As a result, $R_{n,s(n)}$ follows the same distribution $F_R(r)$. In many practical scenarios, it is likely that different links may have different channel statistics. As a result, if $s(n+1) \neq s(n)$, $R_{n,s(n)}$ and $R_{n+1,s(n+1)}$ may follow different distributions. Nevertheless, we can treat $R_{n,s(n)}$ as a compound random variable. Accordingly, a key step is to characterize the distribution of $R_{n,s(n)}$ for the heterogeneous case.

To this end, let $F_m(\cdot)$ denote the distribution for each link $m \in \{1, 2, \dots, M\}$. It can be shown that

$$\begin{aligned} P(R_{(n)} \leq r) &= E[P(R_{n,m} \leq r) | s(n) = m] \\ &= \sum_{m=1}^M \frac{p_{s,m}}{p_s} F_m(r) \end{aligned} \quad (10)$$

where $p_{s,m} \triangleq p_m \prod_{i \neq m} (1 - p_i)$ is the successful probing probability of user m . Based on (10), it is clear that $R_{(n)}$ is a compound random variable whose distribution is a “mixed” version of that across the links. We have the following proposition regarding the optimal threshold policy.

Proposition 3.3: The maximum throughput x^* in the heterogeneous case is an optimal threshold, and is the unique solution to the following equation:

$$x = \frac{\sum_{m=1}^M p_{s,m} \int_x^\infty r dF_m(r)}{\delta + \sum_{m=1}^M p_{s,m} (1 - F_m(x))}. \quad (11)$$

Remarks: For the heterogeneous case *a priori*, it is not clear that different links would have different thresholds or not since their channel statistics are different. However, Proposition 3.3 indicates that in the optimal strategy, the threshold is the same for all the links (again, for the discrete rate case, we treat the thresholds in between two adjacent quantization levels “effectively” the same). Our intuition is as follows: When all the links have the same threshold, links with better channel conditions would have a higher likelihood to transmit accordingly.

B. Iterative Computation Algorithm for x^*

In the following, we devise an iterative algorithm to compute x^* . To this end, rewrite (11) as $x = \Phi(x)$, with

$$\Phi(x) \triangleq \frac{\sum_{m=1}^M p_{s,m} \int_x^\infty r dF_m(r)}{\delta + \sum_{m=1}^M p_{s,m} (1 - F_m(x))}. \quad (12)$$

Accordingly, we propose the following iterative algorithm for computing x^* :

$$x_{k+1} = \Phi(x_k), \quad \text{for } k = 0, 1, 2, \dots \quad (13)$$

where x_0 is the initial value. We have the following proposition on the convergence of the above iterative algorithm.

Proposition 3.4: The iterates generated by the algorithm in (13) converge to x^* for any nonnegative initial value x_0 .

A standard approach for establishing the convergence of iterative fixed-point algorithms is via the contraction (or pseudo-contraction) mapping theorem [13], which is unfortunately not applicable here since $\Phi(x)$ is not a pseudo-contraction mapping in general. For instance, suppose for any m , $f_m(r)$ is given by

$$f_m(r) = \begin{cases} 0, & r < 0 \\ 0.01, & 0 \leq r < 96 \\ 0.005(r - 94), & 96 \leq r < 98 \\ 0.02(r - 97)^{-3}, & r \geq 98. \end{cases} \quad (14)$$

Let $p_{s,m} = 0.99/M$ and $\delta = 0.05$. The corresponding optimal point $x^* = 72.82$. However

$$|\Phi(95.5) - x^*| = |45.88 - 72.82| > |95.5 - 72.82|$$

which violates the condition for pseudo-contraction mapping.

Remarks:

- 1) In light of the above observation, we provide in Appendix III a new proof for the convergence of iterative algorithm in (13).
- 2) Observe that computing the optimal throughput x^* requires the knowledge of the channel statistics of all links. Alternatively, x^* can be computed online by using a distributed iterative algorithm, in which each link independently computes its threshold based on local information only. In Section IV.E, we elaborate further on a distributed online algorithm.

C. Optimal Stopping Rule for DOS Under Fairness Constraints

In the above studies, the optimal distributed scheduling is aimed at maximizing the overall network throughput. We next generalize the studies to take into account fairness requirements. Under fairness constraints, the objective of DOS boils down to maximizing the total network utility function, where user m 's utility is a function of its rate and serves as a measure of satisfaction that user m has from sharing the channel. For example, the reward function (utility function), denoted $\{U_m(r), \forall m\}$, can take the following form [31]:

$$U_{m,\kappa}(r) = \begin{cases} w_m \log r, & \text{if } \kappa = 1 \\ w_m (1 - \kappa)^{-1} r^{1-\kappa}, & \kappa \geq 0, \kappa \neq 1. \end{cases} \quad (15)$$

Then, the optimal strategy for DOS is to characterize the optimal stopping rule N_U^* for maximizing the return rate of the total network utility, i.e.,

$$N_U^* \triangleq \arg \max_{N \in \mathcal{Q}} \frac{E[U(R_N)T]}{E[T_N]}. \quad (16)$$

Interestingly, when $\kappa = 0$, the above problem degenerates to the problem of maximizing the overall throughput. Furthermore, when $\kappa = 1$, *proportional fairness* is achieved by N_U^* .

It is not difficult to see that the optimal stopping rule N_U^* can be derived, along the same line as in Propositions 3.1 and 3.3. We note that this study can be further extended to incorporate more complicated fairness constraints.

IV. DISTRIBUTED OPPORTUNISTIC SCHEDULING: A NONCOOPERATIVE GAME PERSPECTIVE

A. Rate Threshold Selection as a Noncooperative Game

We have (17) shown at the bottom of the page. In the section above, we formulate DOS, namely, joint channel probing and distributed scheduling, as a team game in which links collaborate together to optimize the overall throughput. It is worth noting that in some applications, users behave selfishly, and it is of much interest to investigate the network performance under the noncooperative setting. It is also interesting to characterize the performance loss due to the selfish behavior of users, and develop intensive mechanisms to mitigate the loss. To this end, in the following, we treat joint channel probing and distributed scheduling as a noncooperative game, where links seek to maximize their own throughput by choosing its scheduling strategy in a selfish manner. We will show that the threshold policy is also optimal in the noncooperative game setting.

Without loss of generality, consider a particular user, say user m , and assume that the other users' scheduling policies are given (note that these chosen policies do not have to be threshold based). From user m 's perspective, the network can be in three states: the channel being occupied by user m itself, the channel free for probing, and the channel being occupied by other users. The latter two states can be treated as one meta state that contributes to the random "stretched" probing duration of user m . As a result, the network can be recast as a game in which user m chooses its strategy to maximize its throughput. By using a sandwich argument, it can be shown that the optimal scheduling policy for user m is still a pure threshold policy. Accordingly, for a given set of thresholds across links $\{x_m, m = 1, 2, \dots, M\}$, the average throughput for each link can be characterized as follows.

Lemma 4.1: Let $F_m(r)$ denote the rate distribution for each link $m \in \{1, 2, \dots, M\}$. Assume that the threshold for link m is x_m . Then, the average throughput of link m is given by

$$\phi_m(\mathbf{x}) = \frac{p_{s,m} \int_{x_m}^{\infty} r dF_m(r)}{\delta + \sum_{i=1}^M p_{s,i} (1 - F_i(x_i))}. \quad (18)$$

Lemma 4.1 follows directly from ergodicity. Specifically, assume there are totally L number of events including collisions, idle events, successful channel probings of each user, and their transmissions. The average throughput of link m is then given by (17). Letting $L \rightarrow \infty$ yields that $\bar{\phi}_m \rightarrow \phi_m$.

To get a more concrete understanding of $\phi_m(\mathbf{x})$, we rewrite (18) as follows:

$$\phi_m(\mathbf{x}) = \frac{\frac{\int_{x_m}^{\infty} r dF_m(r)}{1 - F_m(x_m)} T}{\frac{\tau + \sum_{i \neq m} p_{s,i} (1 - F_i(x_i)) T}{p_{s,m} (1 - F_m(x_m))} + T}. \quad (19)$$

It can be seen that the numerator in (19) is the expected throughput of user m , whereas the denominator can be decomposed into two parts: 1) the expected channel probing time $\frac{\tau + \sum_{i \neq m} p_{s,i} (1 - F_i(x_i)) T}{p_{s,m} (1 - F_m(x_m))}$, and 2) the data transmission time T . Furthermore, in the expected channel probing time, $p_{s,m} (1 - F_m(x_m))$ is the successful probing and transmission probability of user m , while $\tau + \sum_{i \neq m} p_{s,i} (1 - F_i(x_i)) T$ can be viewed as the *effective channel probing time* for user m , consisting of the constant probing time τ and the average transmission time of other users $\sum_{i \neq m} p_{s,i} (1 - F_i(x_i)) T$.

Next, we cast the threshold selection problem across different links as a noncooperative game, in which each individual link chooses its threshold x_m to maximize its own throughput ϕ_m in a selfish manner. Specifically, let $\mathbf{G} = [\{1, 2, \dots, M\}, \times_{m \in \{1, 2, \dots, M\}} A_m, \{\phi_m, m \in \{1, 2, \dots, M\}\}]$ denote the noncooperative threshold selection game, where the links in $\{1, 2, \dots, M\}$ are the players of the game, $A_m = \{x_m | 0 \leq x_m < \infty\}$ is the action set of player m , and ϕ_m is treated as the utility (payoff) function for player m . Formally, the noncooperative game is expressed as

$$(\mathbf{G}) \max_{x_m \in A_m} \phi_m(\mathbf{x}) \quad \forall m = 1, 2, \dots, M. \quad (20)$$

B. Nash Equilibrium of Noncooperative Game

Treating the rate threshold selection problem as a noncooperative game, we investigate the corresponding Nash equilibrium [32].

Definition 4.1: A threshold vector $\mathbf{x}^* = \{x_1^*, x_2^*, \dots, x_M^*\}$ is said to be a Nash equilibrium of game \mathbf{G} , if for every link m

$$\phi_m(x_m^*, \mathbf{x}_{-m}^*) \geq \phi_m(x_m, \mathbf{x}_{-m}^*) \quad \forall x_m \in A_m \quad (21)$$

where $\mathbf{x}_{-m} \triangleq [x_1, \dots, x_{m-1}, x_{m+1}, \dots, x_M]^T$.

In other words, at the Nash equilibrium, no link can increase its throughput by unilaterally deviating its threshold from the equilibrium, given the thresholds of other links.

We first examine the existence of Nash equilibrium in game \mathbf{G} . Based on [32, Proposition 20.3], by showing that $\phi_m(\mathbf{x})$ is

$$\bar{\phi}_m = \frac{L p_{s,m} (1 - F_m(x_m)) \frac{\int_{x_m}^{\infty} r dF_m(r)}{1 - F_m(x_m)} T}{\sum_{i=1}^M L p_{s,i} (1 - F_i(x_i)) (\tau + T) + L \left(1 - \sum_{i=1}^M p_{s,i} (1 - F_i(x_i))\right) \tau}. \quad (17)$$

a quasi-concave function of x_m , we have the following proposition on the existence of the Nash equilibrium for the threshold selection game.

Proposition 4.1: There exists a Nash equilibrium in the threshold selection game \mathbf{G} , which satisfies the following set of equations: for $m = 1, 2, \dots, M$

$$x_m^* = \phi_m(x_m^*, \mathbf{x}_{-m}^*) = \frac{p_{s,m} \int_{x_m^*}^{\infty} r dF_m(r)}{\delta + \sum_{i=1}^M p_{s,i} (1 - F_i(x_i^*))}. \quad (22)$$

The proof is relegated to Appendix IV.

C. Uniqueness of Nash Equilibrium

Needless to say, the uniqueness of Nash equilibrium is of great interest for a noncooperative game. Unfortunately, in general, the Nash equilibrium that satisfies (22) is not necessarily unique, as illustrated by the following example. Suppose that there are two links in the network, with the same rate distribution as

$$R(r) = \begin{cases} 2 \text{ Mbps,} & \text{w.p. } 0.5 \\ 12 \text{ Mbps,} & \text{w.p. } 0.5. \end{cases} \quad (23)$$

Let $p_{s,1} = p_{s,2} = 0.2$ and $\delta = 0.35$. Then, there exist two Nash equilibria at $\mathbf{x} = (1.867, 1.867)$ and $\mathbf{x} = (2.18, 2.18)$ that satisfy (22).

In what follows, we provide some sufficient conditions for establishing the uniqueness of Nash equilibrium. Consider a network with homogeneous links, where all links have the same channel statistics $F(r)$ and the same contention probability p . Then, (22) boils down to

$$x_m^* = \phi_m(x_m^*, \mathbf{x}_{-m}^*) = \frac{\frac{p_s}{M} \int_{x_m^*}^{\infty} r dF(r)}{\delta + \frac{p_s}{M} \sum_{i=1}^M (1 - F(x_i^*))} \quad (24)$$

where $p_s = Mp(1-p)^{M-1}$.

Proposition 4.2: In homogeneous networks, the Nash equilibrium is unique if and only if the equation $x = \phi_m(x, x, \dots, x)$ has a unique solution.

The proof is relegated to Appendix V.

Rewrite $x = \phi_m(x, x, \dots, x)$ as

$$d(x) \triangleq \delta x / p_s + x(1 - F(x)) - \frac{1}{M} \int_x^{\infty} r dF(r) = 0. \quad (25)$$

Then, the problem boils down to showing that the solution of $d(x) = 0$ is unique.

1) *Continuous Rate Over Rayleigh Fading:* We first consider the case where the transmission rate is given by the Shannon channel capacity

$$R(h) = \log(1 + \rho h) \text{ nats/s/Hz} \quad (26)$$

where ρ is the normalized average SNR, and h is the channel gain corresponding to Rayleigh fading.

Proposition 4.3: The Nash equilibrium of the threshold selection game \mathbf{G} is unique under the rate model in (26).

The proof is relegated to Appendix VI.

2) *General Continuous Rate Case:* Consider a homogenous network where the transmission rate follows a general continuous distribution with probability density function (pdf) $f(r) \geq 0, \forall r > 0$. We have the following sufficient condition regarding the uniqueness of Nash equilibrium.

Proposition 4.4: The Nash equilibrium of the threshold selection game \mathbf{G} is unique if $r f(r) < \frac{M\delta}{p_s(M-1)}, \forall r > 0$.

Proof: The derivative of $d(x)$ is given by

$$d'(x) = \delta/p_s + (1 - F(x)) - \frac{(M-1)}{M} x f(x). \quad (27)$$

If $x f(x) < \frac{M\delta}{p_s(M-1)}$, for all $x > 0$, then $d(x)$ is monotonically increasing for $x \geq 0$. Combining this with $d(0) < 0$ and $d(\infty) > 0$, we conclude that $d(x) = 0$ has a unique solution.

D. Best Response Strategy

Based on the structure of game \mathbf{G} , we can use the following *best response strategy* to iteratively compute the Nash equilibrium: $\forall m \in \{1, 2, \dots, M\}$

$$x_m(k+1) = x_m^*(k), \quad \text{for } k = 0, 1, 2, \dots \quad (28)$$

where $x_m^*(k)$ is the unique solution to the equation

$$x_m = \phi_m(x_m, \mathbf{x}_{-m}(k)).$$

Remarks:

- 1) The algorithm in (28) is a two time-scale iterative algorithm: On the smaller time scale, each link can use an iterative algorithm to compute $x_m^*(k)$, which is the *best response* for link m at iteration k ; and on the larger time scale, each link updates its threshold based on (28).

Proposition 4.5: Suppose that the Nash equilibrium is unique. Then, for any nonnegative initial value $\mathbf{x}(0)$, the sequence $\{\mathbf{x}(k)\}$, generated by the iterative algorithm in (28), converges to the Nash equilibrium \mathbf{x}^* , as $k \rightarrow \infty$.

We note that standard techniques for establishing the convergence of the best response strategy (e.g., contraction mapping [13] and standard interference functions [14]) are unfortunately not applicable here. Instead, we provide in Appendix VII a constructive proof using a sandwich argument.

Note that the convergence of the above iterative algorithm assumes that the Nash equilibrium of game \mathbf{G} is unique. In what follows, we devise a different iterative algorithm to compute the Nash equilibria for cases where this assumption does not hold. Specifically, suppose that link m updates its threshold as

$$\begin{aligned} x_m(k+1) &= \phi_m(x_m(k), \mathbf{x}_{-m}(k)) \\ &= \frac{p_{s,m} \int_{x_m(k)}^{\infty} r dF_m(r)}{\delta + \sum_{i=1}^M p_{s,i} (1 - F_i(x_i(k)))}, \end{aligned} \quad \forall m \in \{1, 2, \dots, M\}. \quad (29)$$

The convergence of the above iterative algorithm is established in the following proposition.

Proposition 4.6: Starting with all zero initial value, i.e., $\mathbf{x}(0) = \mathbf{0}$ componentwise, the sequence $\{\mathbf{x}(k)\}$, generated

by the iterative algorithm in (29), converge to one of the Nash equilibria that satisfy (22), as $k \rightarrow \infty$.

The proof is relegated to Appendix VIII.

Remarks: Compared to the best response strategy in (28), the iterative algorithm corresponding to (29) is a single time-scale algorithm, and the complexity is lower. However, the updates given by (29) is not necessarily the best response, and as a consequence, it would take longer to converge. It is in this sense that we call it a “pseudo-best” response strategy. We will illustrate this by numerical examples in Section VI.

E. Online Algorithm for Computing Nash Equilibrium

Observe that in both (28) and (29), computing x_m^* requires the knowledge of $\sum_{i=1}^M p_{s,i}(1 - F_i(x_i^*))$, which involves the channel information of all links. In this section, a distributed asynchronous iterative algorithm is proposed in which each link independently computes the optimal threshold $x_m^*, \forall m \in \{1, 2, \dots, M\}$, based on local observations only.

Rewrite (22) as

$$x_m^* = \frac{p_{s,m} \int_{x_m^*}^{\infty} r dF_m(r) - x_m^* \delta}{\sum_{i=1}^M p_{s,i}(1 - F_i(x_i^*))} \quad \forall m.$$

Define

$$g_m(\mathbf{x}) \triangleq \frac{p_{s,m} \int_{x_m}^{\infty} r dF_m(r) - x_m \delta}{\sum_{i=1}^M p_{s,i}(1 - F_i(x_i))} - x_m.$$

If the Nash equilibrium is unique, then \mathbf{x}^* is the unique root to the equation $g(\mathbf{x}) = 0$.

1) *An Asynchronous Distributed Stochastic Approximation Algorithm:* Recall that the collision model is assumed for channel contention, indicating that at most one link can successfully occupy the channel each time. As a result, only the successful link can update its threshold. Clearly, the updating is *asynchronous* across the links.

As illustrated in Fig. 3, let $v(k)$ denote the duration of channel probing in between the $(k-1)$ th transmission and the k th transmission, which can be observed locally. It can be shown that $v(k)$ is a local “unbiased estimate” of $1/\sum_{i=1}^M p_{s,i}(1 - F_i(x_i(k)))$. Define

$$\widetilde{g}_m(k) \triangleq v(k) \left[p_{s,m} \int_{x_m(k)}^{\infty} r dF_m(r) - x_m(k) \delta \right] - x_m(k).$$

It is clear that $\widetilde{g}_m(k)$ involves local information only. Let N^m be an infinite subset of \mathcal{N} indicating the set of times at which an update of x_m is performed. Based on stochastic approximation theory, the distributed iterative algorithm can be written as

$$x_m(k+1) = [x_m(k) + a_m(k) \widetilde{g}_m(\mathbf{x}(k))] I\{k \in N^m\} \Big|_0^b \quad (30)$$

where $a_m(n)$ is the stepsize, $I\{\cdot\}$ is the indicating function, and $[\cdot]_0^b$ is the projection between 0 and b , with $[x]_0^b = \min(b, \max(x, 0))$. The algorithm in (30) is a distributed asynchronous algorithm with stochastic perturbation. The truncation is due to the fact that x_m^* is bounded above by $\frac{p_{s,m}}{\delta} \int_0^{\infty} r dF_m(r)$.




Fig. 3. Sample realization of $v(k)$.

Remarks: Recall that in Section III, the optimal threshold x^* in the team game is computed by an iterative algorithm that requires message passing from neighboring nodes. Alternatively, by using a similar algorithm as in (30), each link can compute x^* independently based on local information only.

2) *Stochastic Convergence of the Algorithm:* Let $\{\mathcal{F}_k, k = 0, 1, \dots\}$ be a family of nonincreasing σ -algebras defined on the probability space $(\Omega, \mathcal{F}, \mathcal{P})$, and $v(k)$ be measurable with respect to \mathcal{F}_k . Observe that at the k th iteration, link m transmits with probability $p_{s,m}(1 - F_m(x_m(k)))$. As a result, the probability of successful transmission is given by $\sum_{i=1}^M p_{s,i}(1 - F_i(x_i(k)))$. The number of mini slots required for a successful channel probing is a geometrical random variable with parameter $\sum_{i=1}^M p_{s,i}(1 - F_i(x_i(k)))$. It follows that the average probing time is given by:

$$E[v(k)|\mathcal{F}_k] = \frac{1}{\sum_{i=1}^M p_{s,i}(1 - F_i(x_i(k)))}. \quad (31)$$

(31) reveals that $v(k)$ is a local unbiased estimate of $1/\sum_{i=1}^M p_{s,i}(1 - F_i(x_i(k)))$.

To establish the convergence of the iterative algorithm in (30), define the stepsize as

$$a_i(k) = a \left(i, \sum_{l=1}^k I\{k \in N^i\} \right).$$

Based on [33] and [15], we impose the following conditions.

B1) The sequence $\{a(i, k)\}$ satisfies

$$\sum_{k=1}^{\infty} a(i, k) = \infty \quad \text{and} \quad \sum_{k=1}^{\infty} a(i, k)^2 < \infty.$$

and for $\beta \in (0, 1), \forall i, j$

$$\lim_{k \rightarrow \infty} \frac{\sum_{l=1}^{\lfloor \beta k \rfloor} a(i, l)}{\sum_{l=1}^k a(i, l)} = 1 \quad \text{and} \quad \lim_{k \rightarrow \infty} \frac{\sum_{l=1}^k a(i, l)}{\sum_{l=1}^k a(j, l)} > 0.$$

B2) The Nash equilibrium defined in (22) is unique.

Theorem 4.1: Under conditions B1 and B2, for any nonnegative initial value $\mathbf{x}(0)$, the sequence $\{\mathbf{x}(k)\}$ generated by (30) converges to the Nash equilibrium \mathbf{x}^* almost surely, as $k \rightarrow \infty$.

The proof is involved and quite lengthy, and is omitted (it can be found in [34]). The sketch of the proof is as follows: We first study the process corresponding to interpolating the sequence $\{\mathbf{x}(k)\}$ generated by (30), and show that the effect of the asynchronism term and the unbiased estimate term would diminish as $t \rightarrow \infty$. Then, the convergence of $\mathbf{x}(t)$ is established by appealing to the mean ordinary differential equation (ODE)

method. The convergence of the original sequence $\{\mathbf{x}(k)\}$ then follows from the similar argument as in [35, Sec. 1.3].

V. THE PRICE OF ANARCHY

In this section, we study the efficiency loss of the noncooperative game, compared to that of the team game.

A. Efficiency Loss of Noncooperative Game

Let x_{co}^* denote the optimal network throughput in the team game case. Recall $x_{\text{co}}^* = x^*$, where x^* is the root to the equation

$$x = \Phi(x) = \frac{\sum_{m=1}^M p_{s,m} \int_x^\infty r dF_m(r)}{\delta + \sum_{m=1}^M p_{s,m} (1 - F_m(x))}. \quad (32)$$

Let x_{nco}^* denote the network throughput at the Nash equilibrium point \mathbf{x}^* for the noncooperative case, and that $x_{\text{nco}}^* = \sum_{m=1}^M \phi_m(\mathbf{x}^*)$. Clearly, the optimal network throughput in the team game is no less than the network throughput at the Nash equilibrium in the noncooperative game, i.e., $x_{\text{co}}^* \geq x_{\text{nco}}^*$. We have the following result regarding the efficiency of the two different games.

Proposition 5.1: If $M \geq 2$ and $f_m(r) > 0, \forall m, r$, then the optimal network throughput in the team game is always greater than that at the Nash equilibrium in the noncooperative game, i.e., $x_{\text{co}}^* > x_{\text{nco}}^*$.

The proof is relegated to Appendix IX.

As expected, Proposition 5.1 implies that for $M \geq 2$, the efficiency η defined as $\eta \triangleq x_{\text{nco}}^*/x_{\text{co}}^*$ is strictly less than one [36].

B. Noncooperative Game With Pricing

The Nash equilibrium is a solution to the noncooperative game, where no link can improve its throughput any further through individual effort. Clearly, the noncooperative game approach is inefficient due to the selfish decisions made by individual links, and this is the so-called *price of anarchy* [36].

The price of anarchy can be mitigated by introducing a pricing-based mechanism, in which users are “encouraged” to adopt a social behavior. In the above study, each link aims to maximize its own throughput $\phi_m(\mathbf{x})$ by adjusting its threshold x_m , but the overhead it imposes on other links is ignored. In order to mitigate the overhead, a plausible pricing function is given by $c_m(\mathbf{x}) = c\alpha_m(\mathbf{x})$, where c is a preset parameter for all links and $\alpha_m(\cdot)$ is defined as

$$\alpha_m(\mathbf{x}) \triangleq \frac{p_{s,m}(1 - F_m(x_m))}{\delta + \sum_{i=1}^M p_{s,i}(1 - F_i(x_i))} \quad (33)$$

which points to the portion of time link m transmits. It is a usage-based pricing policy, where the cost (charge) is proportional to the amount of services consumed by the link [27]. Accordingly, define the utility function as $u_m(\mathbf{x}) \triangleq \phi_m(\mathbf{x}) - c_m(\mathbf{x})$. Then, the “new” noncooperative game is as follows:

$$(\tilde{\mathbf{G}}) \max_{x_m \in A_m} u_m(\mathbf{x}), \quad m = 1, 2, \dots, M. \quad (34)$$

Note that game $\tilde{\mathbf{G}}$ is the same game as the original game \mathbf{G} with different payoff functions. Next, we establish the existence of Nash equilibrium for the new game $\tilde{\mathbf{G}}$.

Proposition 5.2: For some $c > 0$, there exists a Nash equilibrium $\tilde{\mathbf{x}}^*$ in the new game $\tilde{\mathbf{G}}$, which outperforms the one without pricing mechanism, i.e.,

$$\tilde{x}_{\text{pricing}}^* \triangleq \sum_{m=1}^M \phi_m(\tilde{\mathbf{x}}^*) \geq x_{\text{nco}}^*.$$

The proof follows the same line as that of Proposition 4.1.

In Section VI, we compare the results in games with and without pricing, and show the price of anarchy could be reduced by the pricing-based mechanism.

VI. NUMERICAL RESULTS

A. Numerical Examples for the Team Game

Needless to say, a key performance metric is the throughput gain of DOS over the approaches without using optimal stopping. For convenience, define the throughput gain as

$$g \triangleq \frac{x^* - x^L}{x^L}$$

where x^L is the average throughput of the OAR scheme [10] without using optimal stopping, and $x^L = \Phi(0)$.

We consider the following two cases: 1) the continuous rate case based on Shannon capacity, and 2) the discrete rate case based on IEEE 802.11b.

Example 1 (The Continuous Rate Case for Homogeneous Networks): Consider the case that the transmission rate is given by the Shannon channel capacity

$$R(h) = \log(1 + \rho h) \text{ nats/s/Hz}$$

where ρ is the normalized average SNR, and h is the random channel gain corresponding to Rayleigh fading. It follows from (6) that

$$x^* = \Phi(\rho, x^*) = \frac{x^* \exp\left(-\frac{\exp(x^*)}{\rho}\right) + E_1(\exp(x^*)/\rho)}{\frac{\exp(-1/\rho)\delta}{p_s} + \exp\left(-\frac{\exp(x^*)}{\rho}\right)} \quad (35)$$

where $E_1(x)$ is the *exponential integral function* defined as

$$E_1(x) \triangleq \int_x^\infty \frac{\exp(-t)}{t} dt.$$

Note that (35) can be further simplified as

$$x^* = \frac{p_s}{\delta} \exp\left(\frac{1}{\rho}\right) E_1\left(\frac{\exp(x^*)}{\rho}\right). \quad (36)$$

We have the following results on the optimal throughput x^* and the throughput gain $g(\rho)$.



 Fig. 4. $\Phi(x)$ versus x .

 TABLE I
 CONVERGENCE BEHAVIOR OF THE ITERATIVE ALGORITHM IN (13)

ρ	x_0	x_1	x_2	x_3	x^*
0.5	0.5	0.372213	0.384157	0.384283	0.384
1	0.5	0.603993	0.610418	0.610442	0.610
2	1.0	0.902320	0.906009	0.906014	0.906
5	1.0	1.357985	1.389121	1.389379	1.389
10	1.0	1.728041	1.807727	1.809031	1.809

Proposition 6.1:

- The optimal throughput x^* is an increasing function of the average SNR ρ .
- The throughput gain $g(\rho)$ is maximized when $\rho \rightarrow 0$, and

$$g(\rho) \rightarrow \left(1 + \frac{\delta}{p_s}\right) \frac{dx^*(\rho)}{d\rho} \Big|_{\rho=0} - 1, \quad \text{as } \rho \rightarrow 0 \quad (37)$$

where $\frac{dx^*(\rho)}{d\rho} \Big|_{\rho=0}$ is the root of

$$x \exp(x) = \frac{p_s}{\delta}. \quad (38)$$

The proof is relegated in Appendix X.

Remarks: Proposition 6.1 reveals that the maximum gain is achieved in the low SNR region. In the extreme case when $\rho \rightarrow 0$, the gain is determined by the system parameters δ and p_s only. From (37) and (38), it is not difficult to see that the throughput gain increases as δ decreases or p_s increases. This is because a smaller δ or a larger p_s indicates that the probing cost is relatively insignificant.

We provide numerical examples to illustrate the above results. Unless otherwise specified, we assume that τ , T , p_s , and M are chosen such that $\delta = 0.1$, $p_s = \exp(-1)$.

Fig. 4 depicts $\Phi(\rho, x)$ as a function of x , for different ρ . It can be seen that the optimal average throughput x^* is strictly increasing in ρ . In Table I, we examine the convergence of the iterative algorithm in (13). It can be seen that the convergence speed of the iterative algorithm in (13) is fast, and the iterates

 TABLE II
 THROUGHPUT GAIN

ρ	0.5	1	2	5	10
x^*	0.40	0.60	0.90	1.40	1.80
x^L	0.28	0.47	0.73	1.17	1.58
$g(\rho)$	42.8%	27.7%	23.3%	19.7%	13.9%

 TABLE III
 MAXIMUM THROUGHPUT GAIN

δ/p_s	0.136	0.271	0.544	1.359	2.718
g (numerical)	76.4%	47.0%	25.7%	9.2%	3.5%
g (by (37))	76.6%	47.2%	25.7%	9.2%	3.5%

approaches x^* usually within three or four iterations indifferent to the initial value x_0 .

Table II illustrates that $g(\rho)$ is more significant in the low SNR region, and is a decreasing function of ρ . In Table III, we present the maximum throughput gain $g(0)$ as a function of δ/p_s . It can be observed that $g(0)$ increases as the value of δ/p_s decreases. Intuitively speaking, a smaller value of δ indicates that the channel probing incurs less overhead; and a larger value of p_s implies that the random access scheme yields higher throughput.

Example 2 (The Discrete Rate Case for Homogeneous Networks): Next, we study an example based on IEEE 802.11b, in which the transmission rates can be 2, 5.5, and 11 Mb/s, with the following distribution:

$$R(h) = \begin{cases} 2, & \text{w.p. } p_2 = \frac{P(\gamma_2 \leq \rho h < \gamma_{5.5})}{P(\rho h \geq \gamma_2)} \\ 5.5, & \text{w.p. } p_{5.5} = \frac{P(\gamma_{5.5} \leq \rho h < \gamma_{11})}{P(\rho h \geq \gamma_2)} \\ 11, & \text{w.p. } p_{11} = \frac{P(\gamma_{11} \leq \rho h)}{P(\rho h \geq \gamma_2)} \end{cases} \quad (39)$$

where $\gamma_2, \gamma_{5.5}$, and γ_{11} are the minimum SNR thresholds to support transmission rates of 2, 5.5, and 11 Mb/s, respectively.

Needless to say, the optimal throughput can be computed by using the general iterative algorithm presented in (13). However, since the number of quantization levels is small (i.e., three in this case), we can use ‘‘trial and error’’ to obtain the optimal throughput x^* as

$$\begin{aligned} x^*(\rho) = & x^L \mathbf{I}(x^L < 2) \\ & + \frac{5.5p_{5.5} + 11p_{11}}{\frac{\delta}{p_s} + 1 - p_2} \mathbf{I}\left(2 \leq \frac{5.5p_{5.5} + 11p_{11}}{\frac{\delta}{p_s} + 1 - p_2} < 5.5\right) \\ & + \frac{11p_{11}}{\frac{\delta}{p_s} + p_{11}} \mathbf{I}\left(5.5 \leq \frac{11p_{11}}{\frac{\delta}{p_s} + p_{11}} < 11\right) \end{aligned}$$

where x^L is given by Proposition 3.2, $p_2, p_{5.5}$, and p_{11} can be computed from (39), and $\mathbf{I}(\cdot)$ is the indicator function.

As in centralized opportunistic scheduling, significant multiuser diversity gain can be achieved if the rate exhibits enough variation. Indeed, this can be observed in Fig. 5, in which we plot the throughput gain of DOS for different sets of thresholds $\{\gamma_2, \gamma_{5.5}, \gamma_{11}\}$.


Fig. 5. Throughput gain $g(\rho)$ as a function of average SNR ρ .

TABLE IV
CONVERGENCE BEHAVIOR OF THE ITERATIVE ALGORITHM IN (13)

ρ (dB)	x_0	x_1	x_2	x_3	x^*
[0 10 10 8.5 6]	0.684	1.259	1.382	1.385	1.385
[10 10 10 8.5 6]	0.026	1.620	1.877	1.892	1.892
[20 10 10 8.5 6]	0.777	2.695	3.054	3.073	3.073

Example 3 (The Continuous Rate Case for Heterogeneous Networks): Based on (11), it can be shown that the optimal threshold for the heterogeneous case x^* satisfies the following equation:

$$x^* = \frac{1}{\delta} \sum_{m=1}^M p_{s,m} \exp\left(\frac{1}{\rho_m}\right) E_1\left(\frac{\exp(x^*)}{\rho_m}\right). \quad (40)$$

Note that the average throughput without using optimal stopping rule is given by

$$x^L = \frac{\sum_{m=1}^M p_{s,m} \exp(1/\rho_m) E_1(1/\rho_m)}{\delta + p_s}. \quad (41)$$

In the following example, we consider a heterogeneous network model with five users, each with different transmission probabilities and channel statistics. The performance of the iterative algorithm in (13) is examined in Table IV. Clearly, the iterative algorithm in (13) exhibits fast convergence rate.

As is clear in (40), the optimal threshold x^* (namely, the maximum throughput) depends on all SNR parameters $\{\rho_m, \forall m\}$ across links, and is monotonically increasing in each ρ_m . However, different from the homogeneous case, the gain g is no longer monotonically decreasing in each individual SNR. To get a more concrete sense, we plot in Fig. 6 the relationship between g and ρ_1 , with other SNR parameters fixed. As illustrated in the figure, g decreases as ρ_1 increases from -10 to 10 dB. This is because when ρ_1 is small, the optimal throughput x^* is determined mainly by other SNR parameters and remains almost constant, whereas the throughput without using optimal stopping strategy (x^L) always increases. Furthermore, g increases



Fig. 6. Throughput gain $g(\rho)$ as a function of average SNR ρ_1 .

Fig. 7. Convergence behavior of the online algorithm for computing Nash equilibrium.

when ρ_1 exceeds 10 dB. Our intuition is that in this SNR regime user 1 becomes the dominating user in the system, and therefore, x^* increases much faster than x^L .

B. Numerical Examples for the Noncooperative Game

Table V illustrates the convergence behavior of the best response strategy in (28), for two links randomly picked from the five links. It can be seen that with the knowledge of neighboring information, the threshold converges to the optimal point within a few iterations. For comparison, Table VI shows the convergence behavior of the “pseudo-best” response strategy in (29), which takes more iterations to converge. Fig. 7 depicts the convergence behavior of the online algorithm for computing Nash equilibrium. As expected, it takes hundreds of iterations for the proposed asynchronous distributed stochastic algorithm to converge. Moreover, all three algorithms converge to the same equilibrium point.

TABLE V
 CONVERGENCE BEHAVIOR OF THE BEST RESPONSE STRATEGY

Link index	x_0	x_1	x_2	x_3	x^*
Link 1 ($\rho_1 = 3\text{dB}$)	1.00	0.267	0.298	0.300	0.30
Link 2 ($\rho_2 = 5\text{dB}$)	1.00	0.175	0.389	0.390	0.39

 TABLE VI
 CONVERGENCE BEHAVIOR OF THE "PSEUDO-BEST" RESPONSE STRATEGY

Link	x_0	x_1	x_2	x_3	x_4	x_5	x^*
Link 1	1.00	0.360	0.293	0.299	0.300	0.300	0.30
Link 2	1.00	0.108	0.386	0.388	0.388	0.390	0.39



 Fig. 8. Efficiency η as the number of links M .

 TABLE VII
 THE PRICE OF ANARCHY

Number of links	2	3	4	5
x_{co}^*	0.664	1.085	1.217	1.364
x_{nco}^*	0.624	0.994	1.043	1.127
η	94.0%	91.6%	85.7%	82.6%
$x_{pricing}^*$	0.650	1.055	1.170	1.293
η'	97.9%	97.2%	96.1%	94.8%

C. Numerical Examples for Price of Anarchy

We also present in Table VII the efficiency loss due to the selfish behavior of individual links, i.e., the price of anarchy. It can be seen from Table VII that the efficiency is strictly less than 1 when two or more links exist in the network, which corroborates the conclusion of Proposition 5.1. Moreover, the efficiency η decreases as the number of links M increases, as illustrated in Fig. 8. When M goes to ∞ , the total throughput for noncooperative game x_{nco}^* converges to x^L , which implies that every link transmits with threshold $x_m^* = 0$. Furthermore, η approaches to $1/(1+g)$, where g is the throughput gain. Our intuition is as follows: In the noncooperative game, when the number of links increases, the effective channel probing time in (19) increases as well. As a result, the thresholds across links decrease and approach zero.

In Table VII, we also present the efficiency improvement by using the pricing mechanism. Let $x_{pricing}^*$ denote the network throughput at the Nash equilibrium for the noncooperative game with pricing $\tilde{\mathbf{G}}$ defined in (34). The efficiency η' is defined as

$\eta' = x_{pricing}^*/x_{co}^*$. It can be seen from Table VII that by carefully choosing the parameter c , the efficiency loss can be significantly reduced. However, it is still unable to achieve the optimal throughput in the team game case (the social optimum).

VII. CONCLUSION

In this study, we considered an ad hoc network model where many links contend for the channel using random access, and studied DOS to resolve collisions therein while exploiting multiuser diversity and time diversity for data transmission. In such a network, DOS boils down to a process of joint channel probing and distributed scheduling. We first investigated DOS from a network-centric point of view, where links cooperate to maximize the overall network throughput. Specifically, we treated the joint process of channel probing and scheduling as a maximal-rate-of-return problem, and characterized the optimal strategies, for both homogenous networks and heterogeneous networks. We showed that the optimal DOS strategy is a pure threshold policy, where the threshold is the solution to a fixed-point equation. Furthermore, we devised iterative algorithms to compute it.

Next, we studied DOS from a user-centric perspective, where links seek to maximize their own throughput in a selfish manner. We treated the problem of threshold selection across different links as a noncooperative game. Then, we explored the existence and uniqueness of the Nash equilibrium, and showed that the Nash equilibrium can be approached by the best response strategy. We then developed an online stochastic iterative algorithm based on local observations only, and we established its convergence under some regularity conditions, using recent results on asynchronous stochastic approximation algorithms. As expected, we observed an efficiency loss at the Nash equilibrium, and we proposed a pricing-based mechanism to mitigate the efficiency loss.

In summary, this paper presented some initial steps towards studying channel-aware distributed scheduling in ad hoc networks. In particular, building on optimal stopping theory, we characterized the fundamental tradeoff between the throughput gain from better channel conditions and the cost for further channel probing, and explored channel-aware distributed scheduling to exploit multiuser diversity and time diversity in an opportunistic manner. Our findings in this study reveal that rich PHY/MAC diversity gains can be achieved by devising channel-aware scheduling in ad hoc networks.

Clearly, the coupling between the time scales of fading and MAC calls for unified PHY/MAC optimization. It is of great interest to generalize this study to multihop ad hoc networks, and develop channel-aware scheduling for MIMO links. Along a different avenue, delay is another important metric for performance evaluation and remains largely under-explored in general. Future work is needed to obtain a rigorous understanding of the delay-throughput tradeoff corresponding to channel-aware distributed scheduling. Another interesting direction is to explore channel-aware scheduling under random arrival-departure models, and improve channel-aware scheduling by exploiting queueing information, e.g., max-weight matching (MWM) type of scheduling. We are currently pursuing a theoretic foundation of channel-aware distributed scheduling along these avenues.

APPENDIX I
PROOF OF PROPOSITION 3.1

The proof of Proposition 3.1 hinges heavily on the tools in optimal stopping theory [12]. More specifically, based on [12, Ch. 6, Th. 1], in order to maximize the average throughput $\frac{E[R_{(N)}T]}{E[T_N]}$, a key step is to find an optimal stopping algorithm $N(x)$ such that

$$\begin{aligned} V^*(x) &= E[R_{(N(x))}T - xT_{N(x)}] \\ &= \sup_{N \in \mathcal{Q}} E[R_{(N)}T - xT_N]. \end{aligned}$$

It then follows from [12, Ch. 3, Th. 1] that $N(x)$ exists if the following conditions are satisfied:

$$E \sup_n Z_n < \infty \quad \text{and} \quad \limsup_{n \rightarrow \infty} Z_n = -\infty \text{ a.s.} \quad (42)$$

where $Z_n \triangleq R_{(n)}T - xT_n$, $T_n \triangleq \sum_{j=1}^n K_j\tau + T$, and $K_j, j = 1, 2, \dots, n$, denote the number of contentions during the j th channel probing.

The rest of the proof has two main steps: Step 1) we establish the existence of the optimal stopping rule $N(x)$; and Step 2) we characterize the optimal strategy N^* .

Step 1) It is clear that $\limsup_{n \rightarrow \infty} Z_n \rightarrow -\infty$.

Observe that $E[\sup_n Z_n]$ is bounded above by

$$\begin{aligned} E[\sup_n Z_n] &\leq E \left[\sup_n \left\{ R_{(n)}T - nx\tau \left(\frac{1}{p_s} - \epsilon \right) \right\} \right] - xT \\ &\quad + E \left[\sup_n \sum_{j=1}^n x\tau \left(\frac{1}{p_s} - \epsilon - K_j \right) \right] \end{aligned} \quad (43)$$

where ϵ is chosen such that $0 < \epsilon < 1/p_s$. It then follows from the maximal inequalities in [12, Ch. 4, Th. 1 and 2] that the first term and the last term of the right-hand side of (43) are both finite, and hence $E[\sup_n Z_n] < \infty$.

Step 2) Next, we characterize $N(x)$ and N^* . It can be shown that $N(x)$ is given by

$$N(x) = \min\{n \geq 1 : R_{(n)}T \geq V^*(x) + xT\} \quad (44)$$

and $V^*(x)$ satisfies the following *optimality equation*:

$$E[\max(R_{(n)}T - xT - Kx\tau, V^*(x) - Kx\tau)] = V^*(x). \quad (45)$$

Note that $V^*(x^*) = 0$ from [12, Ch. 6, Th. 1] and (45) becomes $E[R_{(n)} - x^*]^+ = \frac{x^*\tau}{p_s T}$ since $E[K] = 1/p_s$. The optimal stopping rule (44) now becomes $N^* = \min\{n \geq 1 : R_{(n)} \geq x^*\}$.

Next we show that (6) has a unique solution. We first note that $f(x) \triangleq E[R_{(n)} - x]^+$ is continuous in x . To see this, let $\{x_l, l = 1, 2, \dots\}$ be a sequence of real positive numbers, and $\lim_{l \rightarrow \infty} x_l = x$, then $R_{(n)} - x_l \rightarrow R_{(n)} - x$ almost surely. Since $|R_{(n)} - x_l| \leq R_{(n)}$, we have that $f(x_l) \rightarrow f(x)$ by using dominated convergence theorem [11]. Since $f(x)$ decreases from $E[R_{(n)}]$ to 0 and the right-hand side of (6) strictly increases from 0 to ∞ as x grows, it follows that (6) has a unique finite solution.

APPENDIX II
PROOF OF PROPOSITION 3.2

It is clear that x^L is achieved by a special stopping algorithm (which stops at the very first time). Therefore, by the definition of x^* , $x^L \leq x^*$.

To show that x^U is an upper-bound on x^* , recall that from Remark 3) for Proposition 3.1, replacing the random contention period ($K\tau$) with a constant access time (τ/p_s) would yield the same optimal long-term average rate x^* . Accordingly, the upper-bound derived for the constant access time case also serves an upper-bound on x^* .

Observe that for any constant x

$$\begin{aligned} &E \left[\sup_n \left\{ R_{(n)}T - x \cdot \left(\frac{\tau}{p_s}n + T \right) \right\} \right] \\ &= E \left[\sup_n \left(R_{(n)}T - x \frac{\tau}{p_s}n \right) \right] - xT \\ &\leq \frac{E[T^2 R^2]}{2 \frac{x\tau}{p_s}} - xT \end{aligned} \quad (46)$$

where the last inequality follows from the maximal inequalities in [12, Ch. 4, Th. 1]. Plugging $x = \sqrt{\frac{E[R^2]}{2 \frac{x}{p_s}}}$ into (46) yields that

$$E \left[\sup_n \left\{ R_{(n)}T - \sqrt{\frac{E[R^2]}{2 \frac{x}{p_s}}} \cdot \left(\frac{\tau}{p_s}n + T \right) \right\} \right] \leq 0. \quad (47)$$

Furthermore, we have that

$$E \left[R_{N^*}^*T - x^* \cdot \left(\frac{\tau}{p_s}N^* + T \right) \right] = 0. \quad (48)$$

Combining (47) and (48), we have that

$$\begin{aligned} &E \left[\sup_n \left\{ R_n T - \sqrt{\frac{E[R^2]}{2 \frac{x}{p_s}}} \cdot \left(\frac{\tau}{p_s}n + T \right) \right\} \right] \\ &\leq E \left[R_{N^*}^*T - x^* \cdot \left(\frac{\tau}{p_s}N^* + T \right) \right] \\ &\stackrel{(a)}{=} \sup_{N \in \mathcal{Q}} E \left[R_N T - x^* \cdot \left(\frac{\tau}{p_s}N + T \right) \right] \\ &\stackrel{(b)}{\leq} E \left[\sup_n \left\{ T R_n - x^* \cdot \left(\frac{\tau}{p_s}n + T \right) \right\} \right] \end{aligned} \quad (49)$$

where (a) is by the definition of N^* , and (b) can be obtained using the same technique as in Fatou's lemma [37].

It is clear that for any $x_1 \leq x_2$

$$\begin{aligned} &E \left[\sup_n \left\{ R_{(n)}T - x_1 \cdot \left(\frac{\tau}{p_s}n + T \right) \right\} \right] \\ &\geq E \left[\sup_n \left\{ R_{(n)}T - x_2 \cdot \left(\frac{\tau}{p_s}n + T \right) \right\} \right]. \end{aligned}$$

It follows from (49) that $x^* \leq \sqrt{\frac{E[R^2]}{2 \frac{x}{p_s}}}$.




Fig. 9. Convergence of the iterative algorithm (13).

APPENDIX III PROOF OF PROPOSITION 3.4

It can be shown that $\Phi(x)$ is the average network throughput under the following stopping rule:

$$N = \min\{n \geq 1 : R_{(n)} \geq x\}.$$

It then follows from Proposition 3.1 that x^* is a global maximum point of $\Phi(x)$, i.e.,

$$x^* = \max_x \Phi(x). \quad (50)$$

From (50) and Proposition 3.3, it is clear that $y = \Phi(x)$ only intersects $y = x$ at the point x^* . See Fig. 9 for a pictorial illustration. This, together with the fact that $\Phi(0) > 0$, yields that

$$\Phi(x) \geq x \quad \forall x \leq x^* \quad \Phi(x) \leq x \quad \forall x > x^*. \quad (51)$$

Without loss of generality, we can assume that $x_0 \leq x^*$ [we note that if $x_0 > x^*$, $x_1 = \Phi(x_0) \leq \Phi(x^*) = x^*$ according to (50)]. Next, suppose that $x_k \leq x^*$. From (51), we obtain that $x_k \leq \Phi(x_k) = x_{k+1} \leq x^*$, where the last inequality is due to the fact that $\Phi(x_k) \leq \Phi(x^*) = x^*$ from (50). Since $0 < x_0 \leq x^*$, it follows that $\{x_k, k = 1, 2, \dots\}$ is a monotonically increasing positive sequence with an upper-bound x^* . As a result, the sequence $\{x_k, k = 1, 2, \dots\}$ converges to a limit, denoted as x_∞ .

To show that $x_\infty = x^*$, we rewrite $x_{k+1} = \Phi(x_k)$ as

$$\begin{aligned} E[R_{(n)} - x_k]^+ - x_k \frac{\delta}{p_s} \\ = (x_{k+1} - x_k) \left(\frac{\delta}{p_s} + \sum_{m=1}^M \frac{p_{s,m}}{p_s} (1 - F_m(x_k)) \right). \end{aligned} \quad (52)$$

Observe that $E[R_{(n)} - x]^+$ is continuous in x (see the proof of Proposition 3.1), $x_{k+1} - x_k \rightarrow 0$ as $k \rightarrow \infty$, and

$$\frac{\delta}{p_s} + \sum_{m=1}^M \frac{p_{s,m}}{p_s} (1 - F_m(x_k)) \leq \frac{\delta}{p_s} + 1 < \infty.$$

Therefore, taking limits on both sides of (52) yields that

$$E[R_{(n)} - x_\infty]^+ - \delta x_\infty / p_s = 0.$$

It follows from Proposition 3.3 that $E[R_{(n)} - x]^+ = x \frac{\delta}{p_s}$ has a unique solution; we conclude that $x_\infty = x^*$.

APPENDIX IV PROOF OF PROPOSITION 4.1

To establish the existence of a Nash equilibrium for the threshold selection game, we apply [32, Proposition 20.3], which requires that the action set A_m is a nonempty compact convex set for any m and the utility function $\phi_m(\cdot)$ is quasi-concave on A_m . Recall that a function $f : R^n \rightarrow [0, \infty)$ is quasi-concave if the sublevel sets $S_c = \{x | f(x) \geq c\}$ are convex for all c [38]. To this end, rewrite $\phi_m(x, \mathbf{x}_{-m}) \geq c$ as

$$\begin{aligned} \hat{\phi}_m(x) \triangleq p_{s,m} \int_x^\infty (r - c) dF_m(r) - c\delta \\ - c \sum_{j \neq m} p_{s,j} (1 - F_j(x_j)) \geq 0. \end{aligned} \quad (53)$$

Then, it suffices to show that for any given c , $\hat{\phi}_m(x)$ is quasi-concave in $[0, \infty)$.

Observe that for any given c , $\hat{\phi}_m(x)$ is nondecreasing in $[0, c]$, and is nonincreasing in $[c, \infty)$. It follows from [38] that $\hat{\phi}_m(x)$ is a quasi-concave function in $[0, \infty)$, which implies that for any c , the sublevel set $S_c = \{x | \phi_m(x, \mathbf{x}_{-m}) \geq c\}$ is convex. Thus, the Nash equilibrium for the noncooperative game \mathbf{G} exists.

Observe from Proposition 3.3 that $\phi_m(x, \mathbf{x}_{-m}^*)$ is maximized at $x = x_m^*$, which is the unique solution to the equation $x = \phi_m(x, \mathbf{x}_{-m}^*)$. By the definition of Nash equilibrium, \mathbf{x}^* is the Nash equilibrium, thereby concluding the proof.

APPENDIX V PROOF OF PROPOSITION 4.2

We need the following lemma first.

Lemma V.1: If $\mathbf{x} = [x_1, x_2, \dots, x_M]^T$ is a Nash equilibrium, then all its elements are equal, i.e., $x_1 = x_2 = \dots = x_M$.

Proof: Assume that there exists a Nash equilibrium with unequal elements. Without loss of generality, assume that $x_1 > x_2$. It follows from (24) that

$$\begin{aligned} x_1 &= \phi_1(x_1, \mathbf{x}_{-1}) = \phi_2(x_1, \mathbf{x}_{-2}) \\ x_2 &= \phi_2(x_2, \mathbf{x}_{-2}) = \phi_1(x_2, \mathbf{x}_{-1}) \end{aligned} \quad (54)$$

which indicates that $\mathbf{x}' = [x_2, x_1, x_3, \dots, x_M]^T$ is also a Nash equilibrium. This contradicts the componentwise monotonicity of Nash equilibria. \square

Lemma V.1 indicates that Nash equilibrium satisfies the equation $x = \phi_m(x, x, \dots, x)$. Conversely, based on Proposition 4.1, the solutions of the equation $x = \phi_m(x, x, \dots, x)$ are Nash equilibria.

To show that $\mathbf{x}(\infty)$ is a Nash equilibrium, using the similar argument as in the proof of Proposition 3.3, we can take limits on both sides of (29) to conclude that

$$x_m(\infty) = \phi_m(x_m(\infty), \mathbf{x}_{-m}(\infty)) \quad \forall m \quad (65)$$

which indicates that $\mathbf{x}(\infty)$ satisfies (22), thereby concluding the proof.

APPENDIX IX PROOF OF PROPOSITION 5.1

It is clear from Proposition 4.1 that $x_{co}^* \geq x_{nc}^*$. We next examine the efficiency loss due to noncooperativity. We first present the following lemma.

Lemma IX.1: Consider the following nonlinear optimization problem:

$$\Xi : \max_{\{0 \leq x_m < \infty, m=1,2,\dots,M\}} \sum_{m=1}^M \phi_m(\mathbf{x}) \quad (66)$$

where ϕ_m is defined in (18). Then, the optimal solution to problem Ξ in (66) is $x^* \mathbf{u}$, where $\mathbf{u} = [1, \dots, 1]$, and x^* is the unique solution to (11).

Proof: First, take derivative of the objective function in Ξ with respect to $\{x_m\}$. After some algebra, it turns out that

$$\sum_m \phi_m(\mathbf{x}) = x_m, \quad m = 1, 2, \dots, M \quad (67)$$

which indicates all x_m^* are the same at the optimal point. Let $x_t = x_m^*, \forall m$. It follows from (67) that x_t is the solution of the following fixed-point equation:

$$x = \frac{\sum_{m=1}^M p_{s,m} \int_x^\infty r dF_m(r)}{\delta + \sum_{m=1}^M p_{s,m} (1 - F_m(x))} \quad (68)$$

which is exactly (11). Since the solution of (11) is unique, we have that $x_t = x^*$. \square

Clearly, $x_{co}^* \geq x_{nc}^*$. Next, we prove the second part of Proposition 5.1 by showing that the equality cannot be achieved. To this end, it is sufficient to examine the following two cases. 1) If the components of \mathbf{x}^* are not the same, then Lemma IX.1 implies that $x_{co}^* > x_{nc}^*$. 2) If the components of \mathbf{x}^* are the same, say $\mathbf{x}^* = x_c \mathbf{u}$, combining (32) and (22), it is not difficult to see that $x_c \neq x^*$. Accordingly, $x_{co}^* > x_{nc}^*$.

APPENDIX X PROOF OF PROPOSITION 6.1

It is not difficult to show that $\frac{dx^*(\rho)}{d\rho} > 0$ for any $\rho > 0$. Therefore, $x^*(\rho)$ is strictly increasing in ρ . Similarly, we can show that $g(\rho)$ is a decreasing function of ρ , and $g(\rho) \rightarrow 0$ as $\rho \rightarrow \infty$.

To examine the extreme case when $\rho \rightarrow 0$, write $g(\rho)$ as follows using (36):

$$g(\rho) = \left(1 + \frac{p_s}{\delta}\right) \frac{E_1\left(\frac{\exp(x^*)}{\rho}\right)}{E_1\left(\frac{1}{\rho}\right)} - 1. \quad (69)$$

Using L'Hospital's rule yields that

$$g(\rho) \rightarrow \left(1 + \frac{p_s}{\delta}\right) \times \exp\left(-\frac{dx^*(\rho)}{d\rho}\bigg|_{\rho=0}\right) - 1, \quad \text{as } \rho \rightarrow 0. \quad (70)$$

Next, we characterize $\frac{dx^*(\rho)}{d\rho}\bigg|_{\rho=0}$. Rewrite (36) as follows:

$$\frac{\delta}{p_s} x^* \exp\left(-\frac{1}{\rho}\right) = E_1\left(\frac{\exp(x^*)}{\rho}\right). \quad (71)$$

Taking derivative with respect to ρ on both sides of (71) and rearranging the terms yield that

$$\frac{\delta}{p_s} \frac{dx^*}{d\rho} \exp(x^*) \rho + \frac{\delta}{p_s} \frac{x^*}{\rho} \exp(x^*) = \exp\left(-\frac{\exp(x^*) - 1}{\rho}\right) \left(1 - \frac{dx^*}{d\rho} \rho\right) \exp(x^*). \quad (72)$$

Let $\rho \rightarrow 0$ in (72). Using the facts that $x^*(\rho) \rightarrow 0$, $\frac{x^*(\rho)}{\rho} \rightarrow \frac{dx^*}{d\rho}$ and $\frac{\exp(x^*(\rho)) - 1}{\rho} \rightarrow \frac{dx^*(\rho)}{d\rho}\bigg|_{\rho=0}$ as $\rho \rightarrow 0$, it follows that $\frac{dx^*(\rho)}{d\rho}\bigg|_{\rho=0}$ is the root of $x \exp(x) = p_s/\delta$. The proposition follows from (70).

ACKNOWLEDGMENT

The authors would like to thank Prof. R. Srikant for his insightful suggestions to introduce pricing mechanisms for studying the user-centric case.

REFERENCES

- [1] D. Aguayo, J. Bicket, S. Biswas, G. Judd, and R. Morris, "Link-level measurements from an 802.11b mesh network," *ACM SIGCOMM Comput. Commun. Rev. Archive*, vol. 34, no. 4, pp. 121–132, Oct. 2004.
- [2] M. Cao, V. Raghunathan, and P. R. Kumar, "Cross-layer exploitation of MAC layer diversity in wireless networks," in *Proc. IEEE Int. Conf. Neww. Protocols*, 2006, pp. 332–341.
- [3] M. Andrews, K. Kumaran, K. Ramanan, A. Stolyar, P. Whiting, and R. Vijayakumar, "Providing quality of service over a shared wireless link," *IEEE Commun. Mag.*, vol. 39, no. 2, pp. 150–154, Feb. 2001.
- [4] P. Viswanath, D. N. Tse, and R. Laroia, "Opportunistic beamforming using dumb antennas," *IEEE Trans. Inf. Theory*, vol. 48, no. 6, pp. 1277–1294, Jun. 2002.
- [5] S. Adireddy and L. Tong, "Exploiting decentralized channel state information for random access," *IEEE Trans. Inf. Theory*, vol. 51, no. 2, pp. 537–561, Feb. 2005.
- [6] X. Qin and R. Berry, "Exploiting multiuser diversity for medium access control in wireless networks," in *Proc. IEEE INFOCOM*, 2003, vol. 2, pp. 1084–1094.
- [7] Z. Ji, Y. Yang, J. Zhou, M. Takai, and R. Bagrodia, "Exploiting medium access diversity in rate adaptive wireless LANs," in *Proc. Int. Conf. Mobile Comput. Netw.*, 2004, pp. 345–359.

- [8] G. Holland, N. Vaidya, and P. Bahl, "A rate-adaptive MAC protocol for multi-hop wireless networks," in *Proc. ACM/IEEE Int. Conf. Mobile Comput. Netw.*, Rome, Italy, 2001, pp. 236–251.
- [9] D. Qiao, S. Choi, and K. G. Shin, "Goodput analysis and link adaptation for IEEE 802.11a wireless LANs," *IEEE Trans. Mobile Comput.*, vol. 1, no. 4, pp. 278–292, 2002.
- [10] B. Sadeghi, V. Kanodia, A. Sabharwal, and E. Knightly, "Opportunistic media access for multirate ad hoc networks," in *Proc. ACM/IEEE Int. Conf. Mobile Comput. Netw.*, Atlanta, GA, 2002, pp. 24–35.
- [11] Y. Chow, H. Robbins, and D. Siegmund, *Great Expectations: Theory of Optimal Stopping*. Boston, MA: Houghton Mifflin, 1971.
- [12] T. Ferguson, Optimal Stopping and Applications 2006 [Online]. Available: <http://www.math.ucla.edu/~tom/Stopping/contents.html>
- [13] D. P. Bertsekas and J. N. Tsitsiklis, *Parallel and Distributed Computation: Numerical Methods*. Englewood Cliffs, NJ: Prentice-Hall, 1989.
- [14] R. D. Yates, "A framework for uplink power control in cellular radio systems," *IEEE J. Sel. Areas Commun.*, vol. 13, no. 7, pp. 1341–1348, Sep. 1995.
- [15] V. Borkar, "Asynchronous stochastic approximations," *SIAM J. Control Optim.*, vol. 36, no. 3, pp. 840–851, May 1998.
- [16] S. Borst, "User-level performance of channel-aware scheduling algorithms in wireless data networks," in *Proc. IEEE INFOCOM*, 2003, pp. 636–647.
- [17] R. Knopp and P. Humlet, "Information capacity and power control in single cell multiuser communications," in *Proc. IEEE Int. Conf. Commun.*, Jun. 1995, pp. 331–335.
- [18] X. Liu, E. K. Chong, and N. B. Shroff, "A framework for opportunistic scheduling in wireless networks," *Comput. Netw.*, vol. 41, no. 4, pp. 451–474, Mar. 2003.
- [19] S. Shakkottai, R. Srikant, and A. L. Stolyar, "Pathwise optimality and state space collapse for the exponential rule," in *Proc. IEEE Symp. Inf. Theory*, Jul. 2002, p. 379.
- [20] S. Borst and P. Whiting, "Dynamic rate control algorithms for HDR throughput optimization," in *Proc. IEEE INFOCOM*, 2001, pp. 976–985.
- [21] M. J. Neely, "Super-fast delay tradeoffs for utility optimal fair scheduling in wireless networks," *IEEE J. Sel. Areas Commun.*, vol. 24, no. 8, pp. 1489–1501, Aug. 2006.
- [22] S. Guha, K. Munagala, and S. Sarkar, "Jointly optimal transmission and probing strategies for multichannel wireless systems," in *Proc. Conf. Inf. Syst.*, Princeton, NJ, 2006, pp. 955–960.
- [23] N. Chang and M. Liu, "Optimal channel probing and transmission scheduling in a multichannel system," in *Proc. Inf. Theory Appl. Workshop*, Feb. 2007.
- [24] Z. Fang and B. Bensaou, "Fair bandwidth sharing algorithms based on game theory frameworks for wireless ad-hoc networks," *Proc. INFOCOM*, vol. 2, pp. 1284–1295, 2004.
- [25] H. Ji and C. Huang, "Non-cooperative uplink power control in cellular radio systems," *Wireless Netw.*, vol. 4, no. 3, pp. 233–240, 1998.
- [26] M. H. Ngo and V. Krishnamurthy, "Game theoretic cross-layer transmission policies in multipacket reception wireless networks," *IEEE Trans. Signal Process.*, vol. 55, no. 5, pp. 1911–1926, May 2007.
- [27] C. Saraydar, N. Mandayam, and D. Goodman, "Efficient power control via pricing in wireless data networks," *IEEE Trans. Commun.*, vol. 50, no. 2, pp. 291–303, Feb. 2002.
- [28] E. Altman, V. S. Borkar, and A. A. Kherani, "Optimal random access in networks with two-way traffic," in *Proc. 15th IEEE Int. Symp. Personal Indoor Mobile Radio Commun.*, Sep. 2004, vol. 1, pp. 609–613.
- [29] V. S. Borkar and A. A. Kherani, "Random access in wireless ad hoc networks as a distributed game," in *Proc. Workshop Modeling Optimization Mobile Ad Hoc Wireless Netw.*, 2004.
- [30] A. Tang, J.-W. Lee, J. Huang, M. Chiang, and A. Calderbank, "Reverse engineering MAC," in *Proc. 4th Int. Symp. Modeling Optimization Mobile Ad Hoc Wireless Netw.*, 2006, pp. 1–11.
- [31] J. Mo and J. Walrand, "Fair end-to-end window-based congestion control," *IEEE Trans. Netw.*, vol. 8, no. 6, pp. 556–566, Nov. 2000.
- [32] M. J. Osborne and A. Rubinstein, *A Course in Game Theory*. Cambridge, MA: MIT Press, 1994.
- [33] S. Arbraham and A. Kumar, "A distributed stochastic approximation approach for max-min fair rate control of flows in packet networks," *Preprint*, 2006.
- [34] D. Zheng, W. Ge, and J. Zhang, "Distributed opportunistic scheduling for ad-hoc communications: An optimal stopping approach," *Electr. Eng. Dept., Arizona State Univ., Tempe, AZ, 2007* [Online]. Available: <http://www.eas.asu.edu/~junshan/pub/dos.pdf>
- [35] H.-F. Chen, *Stochastic Approximation and Its Application*. Norwell, MA: Kluwer, 2002.
- [36] T. Roughgarden and E. Tardos, "How bad is selfish routing?," in *Proc. IEEE Symp. Found. Comput. Sci.*, 2000, pp. 93–102.
- [37] P. Billingsley, *Probability and Measure*, 3rd ed. New York: Wiley, 1995.
- [38] D. P. Bertsekas, A. Nedic, and A. Ozdaglar, *Convex Analysis and Optimization*. Belmont, MA: Athena Scientific, 2003.

Dong Zheng received the Ph.D. degree in electrical engineering from Arizona State University, Tempe, in 2007.

Currently, he is a System Engineer in NextWireless, Inc., San Diego, CA. His current work is on the WiMAX MAC system design, specifically on the QoS, UL Scheduler, HARQ, and Idle/sleep state management development. His research interests lie in the broad area of cross-layer design for wireless networks, with focus on the distributed opportunistic scheduling and network utility maximization in wireless random access networks.

Dr. Zheng received the IEEE ICC Best Paper Award (Wireless Communications Symposium) in 2008.

Weiyang Ge received the B.S. degree from the Department of Electrical Engineering, Peking University, Beijing, China, in 2001, and the M.S. degree in philosophy from the Department of Information Engineering, Chinese University of Hong Kong, Hong Kong, China, in 2003. Currently, he is working towards the Ph.D. degree at the Department of Electrical Engineering, Arizona State University, Tempe.

His research interests are in optimization and control of wireless networks.

Junshan Zhang received the Ph.D. degree from the School of Electrical and Computer Engineering, Purdue University, West Lafayette, IN, in 2000.

He joined the Electrical Engineering Department, Arizona State University, Tempe, in August 2000, where he has been Associate Professor since Summer 2005. His research interests include optimization and control of wireless networks, information theory, and stochastic modeling and analysis. His current research focuses on fundamental problems in wireless ad hoc/sensor networks, including cross-layer optimization and design, resource management, network information theory, and stochastic analysis.

Prof. Zhang is a recipient of the U.S. Office of Naval Research Young Investigator Award in 2005 and the National Science Foundation CAREER award in 2003. He has also received the Outstanding Research Award from the IEEE Phoenix Section in 2003. He has served as TPC Co-Chair for the 2008 Wireless Internet Conference (WICON 2008) and the 2006 International Performance Computing and Communications Conference (IPCCC 2006), TPC Vice-Chair for the 2006 International Conference on Computer Communications and Networks (ICCCN 2006), and a member of the technical program committees of The IEEE Conference on Computer Communications (INFOCOM), The IEEE Communications Society Conference on Sensor and Ad Hoc Communications and Networks (SECON), the IEEE Global Communications Conference (GLOBECOM), the International Conference on Communications (ICC), The ACM International Symposium on Mobile Ad Hoc Networking and Computing (MOBIHOC), the International Conference on Broadband Communications, Networks and Systems (BROADNETS), and the International Conference on Internet, Performance & Control of Networks (SPIE ITCOM). He was the General Chair for the IEEE Communication Theory Workshop 2007. He is an Associate Editor for the IEEE TRANSACTIONS ON WIRELESS COMMUNICATIONS and an editor for the *Computer Network* journal. He coauthored a paper that won IEEE ICC best paper award.